

Description



Catalog

Table of Contents

Dimension's

| | |
|-----------------|---|
| FASS 95 Series | 3 |
| FASS 150 Series | 3 |
| HPFP Series | 4 |

Description's

| | |
|------------------------------|---|
| FASS 95 Series | 5 |
| FASS 150 Series | 5 |
| HPFP Series | 5 |
| Part Numbers | 6 |
| Vehicle Application Numbers | 6 |
| Before You Begin Information | 6 |

95 Series

| | |
|---------|---------|
| Chevy | 7 |
| Ford | 8 - 11 |
| Dodge | 12 - 15 |
| Various | 16 - 18 |

150 Series


| | |
|---------|---------|
| Chevy | 19 |
| Ford | 20 - 23 |
| Dodge | 24 - 27 |
| Various | 28 - 30 |

HPFP Series


| | |
|-------|---------|
| Chevy | 31 |
| Ford | 32 - 34 |
| Dodge | 35 - 37 |

FASS Series Dimension's

FASS 95 Series




FASS 150 Series



HPFP Series Dimension's


w/EM-1001 Motor



w/EM-1002 Motor






ADJ w/EM-1001 Motor



ADJ w/EM-1002 Motor



Series Descriptions

| | |
|---|--|
| <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">95</p>  <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">Series</p> | <ul style="list-style-type: none"> • The FASS 95 series consist of our High Quality Pump w/ the patented ability to remove air/vapor from your fuel as well as an excellent source of filtration of dirt and water • 3 - 10 micron absolute filters available • Cross reference water separators available <p style="text-align: center;">Capabilities Include: 95 - 200 GPH 8 - 135+ PSI</p> |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">150</p>  <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">Series</p> | <ul style="list-style-type: none"> • The FASS 150 series is the same design as the 95 series. The only difference is the size of base, size of filters and higher gph rating. • Cross reference fuel filters & water separators available • 3 - 10 micron absolute filters available <p style="text-align: center;">Capabilities Include: 95 - 240 GPH 8 - 135+ PSI</p> |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">HPFP</p>  <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold;">Series</p> | <ul style="list-style-type: none"> • Our HPFP is a high quality pump. <p style="text-align: center;">Capabilities Include: 95 - 240 GPH 8 - 135+ PSI</p> |

Descriptions

6

Part Number Descriptions

Series Number / GPH - Vehicle Application Number
e.g. 95/150-1007 = 95 Series/ 150 GPH-Dodge

Vehicle Application Number Description

1000's = all Dodge Applications

2000's = all Ford Applications

3000's = all Chevy Applications

Blank = all Versatile Applications, including -but not limited to- SEMI's

Before You Begin

Stock to Moderate Applications should be used for all standard vehicles.
All other applications are for extreme horsepower only.

Selling/ Installing the wrong FASS, HPFP, or Installation kit can cause severe engine damage.

Duramax & Powerstroke applications will require a disconnect tool.

Automatic 1 year warranty from factory shipment date.
Extended 6 year warranty available from purchase date with copy of receipt upon registration

PSI readings are approximations without engine running.



FASS 95 Series

2001– 2007 Chevy Duramax 2500 & 3500 Series



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-3010 | 95gph (Motor:EM-1001) 24lbs Ship Weight 10psi |
|-----------------|---|

Moderate to Extreme

| | |
|------------------|--|
| FASS 95/150-3010 | 150gph (Motor:EM-1001) 24lbs Ship Weight 12psi |
|------------------|--|

Super Extreme

| | |
|--|--|
| FASS 95/200-3010 Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 26lbs Ship Weight 15psi |
|--|--|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series

2005-2007 Ford F250 & F350 6.0 Powerstroke



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-2011 | 95gph (Motor:EM-1001) 27lbs Ship Weight 16psi |
|-----------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series



2005-2007 Ford F250 & F350 6.0 Powerstroke

These kits Eliminate the factory fuel pump.

** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Extreme

| | |
|-----------------------|---|
| FASS 95/90-2013@50psi | 90gph (Motor:EM-1002) 29lbs Ship Weight 50psi |
|-----------------------|---|

Super Extreme

| | |
|--|--|
| FASS 95/180-2013@50psi Also Includes: 1/2" In Tank Suction Tube | 180gph (Motor:EM-1002) 29lbs Ship Weight 50psi |
|--|--|

| | |
|--|--|
| FASS 95/200-2013@50psi Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 29lbs Ship Weight 50psi |
|--|--|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series

1999-2004 Ford F250 & F350 7.3 Powerstroke



** Automatic 1 year warranty from factory shipment date. **
 ** Extended 6 year warranty available from purchase date with copy of receipt upon registration **
 * PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-2012 | 95gph (Motor:EM-1001) 24lbs Ship Weight 16psi |
|-----------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series

1999-2004 Ford F250 & F350 7.3 Powerstroke

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Extreme

| | |
|-------------------------------------|--|
| <p>FASS 95/90-2014@55psi</p> | <p>90gph (Motor:EM-1002) 26lbs Ship Weight 55psi</p> |
|-------------------------------------|--|

Super Extreme

| | |
|--|---|
| <p>FASS 95/180-2014@55psi</p> <p>Also Includes: 1/2" In Tank Suction Tube</p> | <p>180gph (Motor:EM-1002) 26lbs Ship Weight 55psi</p> |
|--|---|

| | |
|--|---|
| <p>FASS 95/200-2014@55psi</p> <p>Also Includes: 1/2" In Tank Suction Tube</p> | <p>200gph (Motor:EM-1002) 26lbs Ship Weight 55psi</p> |
|--|---|

Installation Kit

| | |
|-----------------|--|
| <p>Complete</p> | |
|-----------------|--|



FASS 95 Series

2005-2007 Dodge Ram Cummins 4x4

These kits **Eliminate the factory fuel pump.**



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-1007 | 95gph (Motor:EM-1001) 24lbs Ship Weight 16psi |
|-----------------|---|

Moderate to Extreme

| | |
|------------------|---|
| FASS 95/150-1007 | 150gph(Motor:EM-1001) 24lbs Ship Weight 17psi |
|------------------|---|

Super Extreme & Modified CP3

| | |
|--|---|
| FASS 95/90-1007@45psi | 90gph (Motor: EM-1002) 26lbs Ship Weight 45psi |
| FASS 95/200-1007 (180gph @ 50psi w/change of spring, included in kit) | 200gph (Motor: EM-1002) 26lbs Ship Weight 18psi |

Installation Kit

| | |
|----------|--|
| Complete | Also Includes: 1/2" In Tank Suction Tube |
|----------|--|



FASS 95 Series

1998(1/2)- 2004 Dodge Ram Cummins 4x4

These kits **Eliminate** the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-1008 | 95gph (Motor:EM-1001) 24lbs Ship Weight 16psi |
|-----------------|---|

Moderate to Extreme

| | |
|------------------|--|
| FASS 95/150-1008 | 150gph (Motor:EM-1001) 24lbs Ship Weight 17psi |
|------------------|--|

Super Extreme & Modified CP3

| | |
|--|---|
| FASS 95/90-1008@45psi | 90gph (Motor: EM-1002) 26lbs Ship Weight 45psi |
| FASS 95/200-1008 (180gph @ 50psi w/change of spring, included in kit) Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor: EM-1002) 26lbs Ship Weight 18psi |

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series

1994-1998 Dodge Ram Cummins 4x4 w/12 Valve Engine



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------|---|
| FASS 95/95-1009 | 95gph (Motor:EM-1001) 24lbs Ship Weight 16psi |
|-----------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 95 Series

1994-1998 Dodge Ram Cummins 4x4 w/12 Valve Engine

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-----------------------|---|
| FASS 95/90-1010@45psi | 90gph (Motor:EM-1002) 26lbs Ship Weight 45psi |
|-----------------------|---|

Super Extreme

| | |
|--|--|
| FASS 95/180-1010@50psi Also Includes: 1/2" In Tank Suction Tube | 180gph (Motor:EM-1002) 26lbs Ship Weight 50psi |
|--|--|

| | |
|--|--|
| FASS 95/200-1010@50psi Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 26lbs Ship Weight 50psi |
|--|--|

Installation Kit

You Will Need:

| | |
|------------|--------------------------|
| Incomplete | Injector Return Line Kit |
|------------|--------------------------|



FASS 95 Series

Caterpillar Models A, B, C, E & C Series Electronic Engines, Cummins M11, N14 (Fully Electronic) & ISX Detroit Diesel Series 50 & 60 Mack Engines



** Automatic 1 year warranty from factory shipment date. **

** Extended 2 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

| | |
|--|--|
| FASS 95/95 | 95gph (Motor:EM-1001) 19lbs Ship Weight 10psi |
| FASS 95/150 | 150gph(Motor:EM-1001) 19lbs Ship Weight 12psi |
| FASS 95/200 In-tank Suction tube must be at least 3/8" I.D. | 200gph(Motor: EM-1002) 21lbs Ship Weight 15psi |

Installation Kit

You Will Need:

| | |
|------------|----------------------------|
| Incomplete | Fuel Line Some fittings |
|------------|----------------------------|



FASS 95 Series

Various Applications



** Automatic 1 year warranty from factory shipment date. **

** Extended 2 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

| | |
|------------------|---|
| FASS 95/80@65psi | 80gph (Motor:EM-1002) 21lbs Ship Weight 65psi |
|------------------|---|

| | |
|------------------|--|
| FASS 95/90@50psi | 90gph(Motor:EM-1002) 21lbs Ship Weight 50psi |
|------------------|--|

| | |
|--|--|
| FASS 95/180@50psi In-tank Suction tube must be at least 3/8" I.D. | 180gph (Motor:EM-1002) 21lbs Ship Weight 50psi |
|--|--|

| | |
|--|--|
| FASS 95/200@50psi In-tank Suction tube must be at least 3/8" I.D. | 200gph (Motor:EM-1002) 21lbs Ship Weight 50psi |
|--|--|

Installation Kit

Incomplete

You Will Need:

Fuel Line
Some fittings



FASS 95 Series

Unit Injected Mechanical Engines
(e.g. Mechanical Detroit,
Big Cam Cummins NTC/STC w/PT Fuel Pump)



** Automatic 1 year warranty from factory shipment date. **

** Extended 2 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

| | |
|---|--|
| FASS 95/95-UIME | 95gph (Motor:EM-1001) 19lbs Ship Weight 10psi |
| FASS 95/150-UIME | 150gph(Motor:EM-1001) 19lbs Ship Weight 12psi |
| FASS 95/200-UIME In-tank Suction tube must be at least 3/8" I.D. | 200gph(Motor: EM-1002) 21lbs Ship Weight 15psi |

Installation Kit

You Will Need:

| | |
|------------|----------------------------|
| Incomplete | Fuel Line Some fittings |
|------------|----------------------------|



FASS 150 Series

2001– 2007 Chevy Duramax 2500 & 3500 Series



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------|---|
| FASS 150/95-3010 | 95gph (Motor:EM-1001) 29lbs Ship Weight 10psi |
|------------------|---|

Moderate to Extreme

| | |
|-------------------|--|
| FASS 150/150-3010 | 150gph (Motor:EM-1001) 29lbs Ship Weight 12psi |
|-------------------|--|

Super Extreme

| | |
|---|--|
| FASS 150/200-3010 Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 31lbs Ship Weight 15psi |
|---|--|

| | |
|-------------------|--|
| FASS 150/240-3010 | 240gph (Motor:EM-1002) 31lbs Ship Weight 15psi |
|-------------------|--|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 150 Series

2005-2007 Ford F250 & F350 6.0 Powerstroke



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------|---|
| FASS 150/95-2011 | 95gph (Motor:EM-1001) 32lbs Ship Weight 16psi |
|------------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 150 Series



2005-2007 Ford F250 & F350 6.0 Powerstroke

These kits Eliminate the factory fuel pump.

** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|--------------------------------------|--|
| <p>FASS 150/90-2013@50psi</p> | <p>90gph (Motor:EM-1002) 34lbs Ship Weight 50psi</p> |
|--------------------------------------|--|

Moderate to Extreme

| | |
|---|---|
| <p>FASS 150/180-2013@50psi</p> <p style="text-align: center;">Also Includes: 1/2" In Tank Suction Tube</p> | <p>180gph (Motor:EM-1002) 34lbs Ship Weight 50psi</p> |
|---|---|

| | |
|---|---|
| <p>FASS 150/200-2013@50psi</p> <p style="text-align: center;">Also Includes: 1/2" In Tank Suction Tube</p> | <p>200gph (Motor:EM-1002) 34lbs Ship Weight 50psi</p> |
|---|---|

Installation Kit

| | |
|-----------------|--|
| <p>Complete</p> | |
|-----------------|--|



FASS 150 Series

1999-2004 Ford F250 & F350 7.3 Powerstroke



** Automatic 1 year warranty from factory shipment date. **
 ** Extended 6 year warranty available from purchase date with copy of receipt upon registration **
 * PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|--------------------------------|---|
| <p>FASS 150/95-2012</p> | <p>95gph (Motor:EM-1001) 24lbs Ship Weight 16psi</p> |
|--------------------------------|---|

Installation Kit

| | |
|-----------------|--|
| <p>Complete</p> | |
|-----------------|--|



FASS 150 Series

1999-2004 Ford F250 & F350 7.3 Powerstroke

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|-------------------------------|--|
| FASS 150/90-2014@55psi | 90gph (Motor:EM-1002) 31lbs Ship Weight 55psi |
|-------------------------------|--|

Super Extreme

| | |
|--|---|
| FASS 150/180-2014@55psi Also Includes: 1/2" In Tank Suction Tube | 180gph (Motor:EM-1002) 31lbs Ship Weight 55psi |
|--|---|

| | |
|--|---|
| FASS 150/200-2014@55psi Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 31lbs Ship Weight 55psi |
|--|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 150 Series

2005-2007 Dodge Ram Cummins 4x4

These kits **Eliminate** the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------|---|
| FASS 150/95-1007 | 95gph (Motor:EM-1001) 29lbs Ship Weight 16psi |
|------------------|---|

Moderate to Extreme

| | |
|-------------------|---|
| FASS 150/150-1007 | 150gph(Motor:EM-1001) 29lbs Ship Weight 17psi |
|-------------------|---|

Super Extreme & Modified CP3

| | |
|------------------------|--|
| FASS 150/90-1007@45psi | 90gph (Motor: EM-1002) 31lbs Ship Weight 45psi |
|------------------------|--|

| | |
|---|---|
| FASS 150/200-1007 (180gph @ 50psi w/change of spring, included in kit) | 200gph (Motor: EM-1002) 31lbs Ship Weight 18psi |
|---|---|

| | |
|---|---|
| FASS 150/240-1007 (180gph @ 50psi w/change of spring, included in kit) | 240gph (Motor: EM-1002) 31lbs Ship Weight 18psi |
|---|---|

Installation Kit

| | |
|----------|--|
| Complete | Also Includes: 1/2" In Tank Suction Tube |
|----------|--|



FASS 150 Series

1994-1998 Dodge Ram Cummins 4x4 w/12 Valve Engine



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------|---|
| FASS 150/95-1009 | 95gph (Motor:EM-1001) 29lbs Ship Weight 16psi |
|------------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 150 Series

1998(1/2)- 2004 Dodge Ram Cummins 4x4

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------|---|
| FASS 150/95-1008 | 95gph (Motor:EM-1001) 24lbs Ship Weight 16psi |
|------------------|---|

Moderate to Extreme

| | |
|-------------------|---|
| FASS 150/150-1008 | 150gph(Motor:EM-1001) 24lbs Ship Weight 17psi |
|-------------------|---|

Super Extreme & Modified CP3

| | |
|---|---|
| FASS 150/90-1008@45psi | 90gph (Motor: EM-1002) 26lbs Ship Weight 45psi |
| FASS 150/200-1008 (180gph @ 50psi w/change of spring, included in kit) Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor: EM-1002) 26lbs Ship Weight 18psi |
| FASS 150/240-1008 (200gph @ 50psi w/change of spring, included in kit) Also Includes: 1/2" In Tank Suction Tube | 240gph (Motor: EM-1002) 26lbs Ship Weight 18psi |

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



FASS 150 Series

1994-1998 Dodge Ram Cummins 4x4 w/12 Valve Engine

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **
 ** Extended 6 year warranty available from purchase date with copy of receipt upon registration **
 * PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|------------------------|---|
| FASS 150/90-1010@45psi | 90gph (Motor:EM-1002) 31lbs Ship Weight 45psi |
|------------------------|---|

Super Extreme

| | |
|---|--|
| FASS 150/180-1010@45psi Also Includes: 1/2" In Tank Suction Tube | 180gph (Motor:EM-1002) 31lbs Ship Weight 45psi |
|---|--|

| | |
|---|--|
| FASS 150/200-1010@45psi Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 31lbs Ship Weight 45psi |
|---|--|

Installation Kit

| | |
|------------|---|
| Incomplete | You Will Need: Injector Return Line Kit |
|------------|---|



FASS 150 Series

Caterpillar Models A, B, C, E & C Series Electronic Engines, Cummins M11, N14 (Fully Electronic) & ISX Detroit Diesel Series 50 & 60 Mack Engines



** Automatic 1 year warranty from factory shipment date. **

** Extended 2 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

| | |
|-------------|---|
| FASS 150/95 | 95gph (Motor:EM-1001) 24lbs Ship Weight 10psi |
|-------------|---|

| | |
|--------------|---|
| FASS 150/150 | 150gph(Motor:EM-1001) 24lbs Ship Weight 12psi |
|--------------|---|

| | |
|---|--|
| FASS 150/200 In-tank Suction tube must be at least 3/8" I.D. | 200gph(Motor: EM-1002) 26lbs Ship Weight 15psi |
|---|--|

| | |
|---|--|
| FASS 150/240 In-tank Suction tube must be at least 3/8" I.D. | 240gph(Motor: EM-1002) 26lbs Ship Weight 15psi |
|---|--|

Installation Kit

You Will Need:

| | |
|------------|----------------------------|
| Incomplete | Fuel Line Some fittings |
|------------|----------------------------|



FASS 150 Series

Unit Injected Mechanical Engines
(e.g. Mechanical Detroit,
Big Cam Cummins NTC/STC w/PT Fuel Pump)



** Automatic 1 year warranty from factory shipment date. **

** Extended 2 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

| | |
|------------------|---|
| FASS 150/95-UIME | 95gph (Motor:EM-1001) 24lbs Ship Weight 10psi |
|------------------|---|

| | |
|-------------------|---|
| FASS 150/150-UIME | 150gph(Motor:EM-1001) 24lbs Ship Weight 12psi |
|-------------------|---|

| | |
|--|--|
| FASS 150/200-UIME In-tank Suction tube must be at least 3/8" I.D. | 200gph(Motor: EM-1002) 24lbs Ship Weight 15psi |
|--|--|

| | |
|--|--|
| FASS 150/240-UIME In-tank Suction tube must be at least 3/8" I.D. | 240gph(Motor: EM-1002) 24lbs Ship Weight 15psi |
|--|--|

Installation Kit

Incomplete

You Will Need:

Fuel Line
Some fittings



FASS 150 Series



Various Applications

** Automatic 1 year warranty from factory shipment date. **
 ** Extended 2 year warranty available from purchase date with copy of receipt upon registration **
 * PSI readings are approximations without engine running. *

| | |
|-------------------|---|
| FASS 150/80@60psi | 80gph (Motor:EM-1002) 26lbs Ship Weight 60psi |
|-------------------|---|

| | |
|-------------------|--|
| FASS 150/90@50psi | 90gph(Motor:EM-1002) 26lbs Ship Weight 50psi |
|-------------------|--|

| | |
|---|--|
| FASS 150/180@45psi In-tank Suction tube must be at least 3/8" I.D. | 180gph (Motor:EM-1002) 26lbs Ship Weight 45psi |
|---|--|

| | |
|---|--|
| FASS 150/200@45psi In-tank Suction tube must be at least 3/8" I.D. | 200gph (Motor:EM-1002) 26lbs Ship Weight 45psi |
|---|--|

Installation Kit

You Will Need:

| | |
|------------|----------------------------|
| Incomplete | Fuel Line Some fittings |
|------------|----------------------------|



HPFP Series

2001– 2007 Chevy Duramax 2500 & 3500 Series



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|---|---|
| HPFP ADJ 95-3008 Adjustable PSI | 95gph (Motor:EM-1001) 14lbs Ship Weight 0-80psi |
| HPFP 95-3008 | 95gph (Motor:EM-1001) 14lbs Ship Weight 13psi |

Moderate to Extreme

| | |
|--|--|
| HPFP ADJ 150-3008 Adjustable PSI | 150gph (Motor:EM-1001) 14lbs Ship Weight 0 - 25psi |
| HPFP 150-3008 | 150gph (Motor:EM-1001) 14lbs Ship Weight 15psi |

Super Extreme

| | |
|--|--|
| HPFP ADJ 200-3008 Adjustable PSI Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 16lbs Ship Weight 2– 80psi |
| HPFP 200-3008 Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 16lbs Ship Weight 15psi |
| HPFP ADJ 240-3008 Adjustable PSI Also Includes: 1/2" In Tank Suction Tube | 240gph (Motor:EM-1002) 16lbs Ship Weight 2 - 80psi |

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



HPFP Series

2003-2007 Ford F250 & F350 6.0 Powerstroke



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|--------------|---|
| HPFP 95-2007 | 95gph (Motor:EM-1001) 14lbs Ship Weight 16psi |
|--------------|---|

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



HPFP Series

1999-2007 Ford F250 & F350 6.0 Powerstroke

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Extreme

| | |
|---|--|
| <p>HPFP ADJ-90-2015@60psi Adjustable PSI</p> | <p>90gph (Motor:EM-1002) 14lbs Ship Weight 0 - 135+psi</p> |
|---|--|

Super Extreme

| | |
|--|---|
| <p>HPFP ADJ-180-2015@60psi Adjustable PSI</p> <p>Also Includes: 1/2" In Tank Suction Tube</p> | <p>180gph (Motor:EM-1002) 14lbs Ship Weight 2 - 80psi</p> |
|--|---|

| | |
|--|---|
| <p>HPFP ADJ-200-2015@60psi Adjustable PSI</p> <p>Also Includes: 1/2" In Tank Suction Tube</p> | <p>200gph (Motor:EM-1002) 14lbs Ship Weight 2 - 80psi</p> |
|--|---|

Installation Kit

| | |
|-----------------|--|
| <p>Complete</p> | |
|-----------------|--|



HPFP Series

1999-2003 Ford F250 & F350 7.3 Powerstroke



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **


* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|--------------|---|
| HPFP 95-2006 | 95gph (Motor:EM-1001) 14lbs Ship Weight 16psi |
|--------------|---|

Installation Kit


| | |
|----------|--|
| Complete | |
|----------|--|



HPFP Series

2005-2007 Dodge Ram Cummins

These kits Eliminate the factory fuel pump.



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|---|---|
| HPFP ADJ 95-1004 Adjustable psi | 95gph (Motor:EM-1001) 14lbs Ship Weight 0 - 80psi |
| HPFP 95-1004 | 95gph (Motor:EM-1001) 14lbs Ship Weight 16psi |

Moderate to Extreme

| | |
|--|---|
| HPFP ADJ 150-1004 Adjustable psi | 150gph(Motor:EM-1001) 14lbs Ship Weight 0 - 25psi |
| HPFP 150-1004 | 150gph(Motor:EM-1001) 14lbs Ship Weight 17psi |

Super Extreme & Modified CP3

| | |
|--|--|
| HPFP ADJ 200-1004 Adjustable | 200gph(Motor: EM-1002) 16lbs Ship Weight 2 - 80psi |
| HPFP 200-1004 | 200gph(Motor:EM-1002) 16lbs Ship Weight 17psi |
| HPFP ADJ 240-1004 Adjustable | 240gph(Motor:EM-1002) 16lbs Ship Weight 2 - 80psi |

Installation Kit

| | |
|----------|--|
| Complete | Also Includes: 1/2" In Tank Suction Tube |
|----------|--|



HPFP Series

1998(1/2)- 2004 Dodge Ram Cummins 4x4



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|---|---|
| HPFP ADJ 95-1003 Adjustable psi | 95gph (Motor:EM-1001) 14lbs Ship Weight 0 - 80psi |
| HPFP 95-1003 | 95gph (Motor:EM-1001) 14lbs Ship Weight 16psi |

Moderate to Extreme

| | |
|--|--|
| HPFP ADJ 150-1003 Adjustable psi | 150gph (Motor:EM-1001) 14lbs Ship Weight 0 - 25psi |
| HPFP 150-1003 | 150gph (Motor:EM-1001) 14lbs Ship Weight 17psi |

Super Extreme & Modified CP3

| | |
|--|--|
| HPFP ADJ 200-1003 Adjustable psi Also Includes: 1/2" In Tank Suction Tube | 200gph(Motor: EM-1002) 16lbs Ship Weight 0 - 80psi |
| HPFP 240-1003 Adjustable psi Also Includes: 1/2" In Tank Suction Tube | 200gph(Motor: EM-1002) 16lbs Ship Weight 0 - 80psi |

Installation Kit

| | |
|----------|--|
| Complete | |
|----------|--|



HPFP Series

1994 -1998 Dodge Ram Cummins w/ Mechanical P7100 Injection Pump

These kits **Eliminate the factory fuel pump.**



** Automatic 1 year warranty from factory shipment date. **

** Extended 6 year warranty available from purchase date with copy of receipt upon registration **

* PSI readings are approximations without engine running. *

Stock to Moderate

| | |
|---|---|
| HPFP ADJ 95-1001 Adjustable psi | 95gph (Motor:EM-1001) 14lbs Ship Weight 0 - 80psi |
|---|---|

Stock to Extreme

| | |
|---|---|
| HPFP ADJ 90-1011@45psi Adjustable psi | 90gph (Motor:EM-1002) 14lbs Ship Weight 0 - 135+psi |
|---|---|

Super Extreme and Modified CP3

| | |
|--|--|
| HPFP ADJ 180-1011@50psi Adjustable psi Also Includes: 1/2" In Tank Suction Tube | 180gph (Motor:EM-1002) 14lbs Ship Weight 0 - 80psi |
|--|--|

| | |
|--|--|
| HPFP ADJ 200-1011@50psi Adjustable psi Also Includes: 1/2" In Tank Suction Tube | 200gph (Motor:EM-1002) 14lbs Ship Weight 0 - 80psi |
|--|--|

Installation Kit

You Will Need:

| | |
|------------|--------------------------|
| Incomplete | Injector Return Line Kit |
|------------|--------------------------|